

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Putent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Dox 1450 Alexandria, Viginia 22313-1450

APPLICATION NUMBER

FILING OR 371 (c) DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/661,479

09/15/2003

Ramon M. Navarro

BRENEMAN & GEORGES William D. Breneman, Esq. 3150 Commonwealth Avenue Alexandria, VA 22305



CONFIRMATION NO. 9231
FORMALITIES LETTER
OC000000013489511

Date Mailed: 08/10/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings have a line quality that is too light to be reproduced (weight of all lines and letters must be heavy enough to permit adequate reproduction) or text that is illegible (reference characters, sheet numbers, and view numbers must be plain and legible) see 37 CFR 1.84(I) and (p)(1)); See Figure(s) 1, 4, 5, 6, 7,.

Replies should be mailed to:

Mail Stop Missing Parts

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.

MEANYS

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

The Mail Room Stamp of the United States Patent and Trademark Office imprinted hereon acknowledges receipt and filing of the following:

1. Transmittal:

2. Response to Notice to File Corrected Application Papers (2 pages);

Replacement Drawings (7 pages); 3.

Copy of Notice to File Corrected Application Papers (1 page); and 4.

Deposit Account Authorization letter authorizing payment of fees associated with 5. this filing.

In re Patent Application of:

Ramon M. NAVARRO

Application Serial No. 10/661,479

Filed: September 15, 2003

For:

SANITARY FILL VALVE ASSEMBLY

WITH ADJUSTABLE FLOW REGULATOR

Authorization:

For Commissioner of Patents and Trademarks to charge any claim fee and any underpayments, additional fees and/or credit any overpayments to Deposit Account No. 18-2361

Date: 20 August 2004

VIA HAND DELIVERY

******PLEASE DATE STAMP AND RETURN******

PTO/SB/21 (02-04) Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Inder the Paperwork Reduction Act of 1995. no persons are required to respond to a collection of information unless it displays a valid OMB control number. Application Number 10/661,479 TRANSMITTAL Filing Date 15 September 2003 **FORM** First Named Inventor Ramon M. Navarro Art Unit (to be used for all correspondence after initial filing) 3754 **Examiner Name** Not Assigned Attorney Docket Number 13 Total Number of Pages in This Submission

ENCLOSURES (Check all that apply)		
Fee Transmittal Form Fee Attached Amendment/Reply After Final Affidavits/declaration(s) Extension of Time Request Express Abandonment Request Information Disclosure Statement Certified Copy of Priority Document(s) Response to Missing Parts/ Incomplete Application Response to Missing Parts under 37 CFR 1.52 or 1.53	Drawing(s) Licensing-related Papers Petition Petition to Convert to a Provisional Application Power of Attorney, Revocation Change of Correspondence Address Terminal Disclaimer Request for Refund CD, Number of CD(s) Remarks	After Allowance communication to Technology Center (TC) Appeal Communication to Board of Appeals and Interferences Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter Other Enclosure(s) (please Identify below):
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT		
Firm or Individual name BRENEMAN & GEORGES Todd A. Vaughn, Esq. Reg. No, 52,319 Signature Date 20 August 2004		
CERTIFICATE OF TRANSMISSION/MAILING		
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below. Typed or printed name		

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Signature

The Commissioner of Patents & Trademarks is hereby authorized to charge any additional fees and/or credit any overpayments to Deposit Account #18-2361.

Peter J. Georges

Reg. No. 25,867

PATENT



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

In re UTILITY PATENT APPLICATION OF

Ramon M. NAVARRO

APPLICATION SERIAL NO. 10/661,479

Art Unit 3754

FILED:

September 15, 2003

Examiner: Not Assigned

TITLE: SANITARY FILL VALVE ASSEMBLY

WITH ADJUSTABLE FLOW REGULATOR

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

MAIL STOP--MISSING PARTS COMMISSIONER FOR PATENTS P.O BOX 1450 Alexandria, VA 22313-1450

Sir:

Responsive to the *Notice to File Corrected Application Papers* mailed 10 August 2004, the following is submitted in connection with the above-identified application.

IN THE DRAWINGS:

Please replace the drawings filed with the replacement drawings attached herewith. The replacement drawings are being filed in order to comply with the requirements set forth in 37 C.F.R. 1.84 and 37 C.F.R. 1.212. A copy of the *Notice to File Corrected Application Papers* accompanies this filing.

While no additional fees are believed to be necessary with respect to the filing of this response, the Commissioner is hereby authorized to charge any official fees or credit any fees or deficiencies wit respect to the filing of this response or this application to Deposit Account No. 18-2361.

U.S. Patent Serial No. 10/661,479 Art Unit 3754

Page 2

In the event that there are any questions relating to this Preliminary Amendment or to the application in general, it would appreciated if the Examiner would telephone the undersigned attorney concerning such questions so that prosecution of the instant application may be expeditiously closed.

Respectfully submitted,

BRENEMAN & GEORGES

3150 Commonwealth Avenue

Alexandria, VA 22305 Phone: 703.683.8006

Fax: 703.683.8009 Todd A. Vaughn, Esq. Registration No. 52,319